


耐火煉瓦寸法一覧表


名称	形状 単位[mm]			摘要
	長さ	巾	厚さ	
並形	230	114	65	JIS
半丁	230	114	30	
半マス	114	114	65	
羊かん	230	57	65	
羊かん半丁	230	57	30	
Y-1	230	114	65/59	ヨコ落
Y-2	230	114	65/50	
Y-3	230	114	65/32	
T-0	230	114	65/60	タテ落
T-1	230	114	65/55	
T-2	230	114	65/45	
T-3	230	114	65/35	
B-1	230	114/105	65	バチ形
B-2	230	114/85	65	
B-3	230	114/65	65	
K-1	230	114/102	65	コバ落
K-2	230	114/96	65	
K-3	230	114/90	65	
J-1	230	230	65/55	平2丁 ヨコ落ち
J-2	230	230	65/45	
長1.5丁	345	114	65	タテ
長2丁	460	114	65	
平1.5丁	230	171	65	ヨコ
平2丁	230	230	65	
平4丁	456	230	65	
平6丁	684	230	65	
厚2丁	230	130	114	コバ
厚4丁	260	230	114	
厚6丁	390	230	114	
厚8丁	520	230	114	
厚10丁	650	230	114	
東京厚10丁	600	227	110	
大板	600	300	65	
L形	650	114	65	

並形




単位mm			
	A 長さ	B 幅	C 厚さ
寸法	230	114	65

Y系




単位mm					
記号	A 長さ	B 幅	a 厚さ	b 厚さ	
Y 1	230	114	65	59	
Y 2	230	114	65	50	
Y 3	230	114	65	32	

T系



単位mm					
記号	A 長さ	B 幅	a 厚さ	b 厚さ	
T 1	230	114	65	55	
T 2	230	114	65	45	
T 3	230	114	65	35	

B系



単位mm				
記号	A 長さ	a 幅	b 幅	c 厚さ
B 1	230	114	105	65
B 2	230	114	85	65
B 3	230	114	65	65

※カット等加工もできます。

必要なサイズがございましたらお問合せください。

三石耐火煉瓦株式会社

〒705-0132 岡山県備前市三石868

TEL 0869-62-0541(代) FAX 0869-62-0017(代)

開発部TEL 0869-62-0303

開発部FAX 0869-62-0565

URL <http://mtaika.jp/>

E-mail mtaika@mx31.tiki.ne.jp

半円アーチ積みの内径と横ぜり形および並形レンガの組合せ表

単位 mm					
内径	Y3	Y2	Y1	並形	合計
250	11				11
270	9	2			11
300	10	2			12
325	10	3			13
350	10	4			14
375	9	5			14
400	9	6			15
425	8	7			15
450	8	8			16
475	7	10			17
500	6	11			17
525	6	12			18
550	5	13			18
575	5	14			19
600	4	15			19
625	4	16			20
650	4	17			21
675	3	18			21
700	3	19			22
725	2	20			22
750	2	21			23
775	1	22			23
800		24			24
825		25			25
850		24	1		25
875		24	2		26
900		23	3		26
925		23	4		27
950		22	5		27
975		22	6		28
1000		22	7		29
1050		21	9		30
1100		20	11		31
1150		19	13		32
1200		18	15		33
1250		17	17		34
1300		17	18		35
1350		16	21		37
1400		15	23		38
1450		14	25		39
1500		13	27		40
1550		13	28		41
1600		12	30		42
1650		12	32		44
1700		11	34		45
1750		10	36		46
1800		9	38		47
1850		8	40		48
1900		7	43		50
1950		7	44		51
2000		6	46		52
2100		4	50		54
2200		3	53		56
2300		2	57		59
2400		1	60		61
2500			61	2	63
2600			61	5	66
2700			61	7	68
2800			61	9	70
2900			61	12	73
3000			61	14	75
3200			61	19	80
3400			61	24	85
3600			61	29	90
3800			61	34	95
4000			61	38	99
4200			61	43	104
4400			61	48	109
4600			61	52	113
4800			61	57	118
5000			61	61	122
5200			61	66	127
5400			61	71	132
5600			61	75	136
5800			61	79	140
6000			61	84	145

半円アーチ積みの内径と縦ぜり形および並形レンガの組合せ表

単位 mm					
内径	T3	T2	T1	並形	合計
600	25				25
625	22	3			25
650	22	4			26
675	20	6			26
700	19	8			27
725	18	10			28
750	17	11			28
775	16	13			29
800	14	15			29
825	13	17			30
850	12	19			31
875	11	20			31
900	10	22			32
925	8	24			32
950	8	25			33
975	6	27			33
1000	5	29			34
1050	2	33			35
1100		36			36
1150		35	2		37
1200		35	4		39
1250		33	7		40
1300		32	9		41
1350		31	11		42
1400		30	13		43
1450		27	16		43
1500		28	18		46
1550		27	20		47
1600		26	23		49
1650		24	25		49
1700		23	27		50
1750		21	30		51
1800		20	32		52
1850		20	34		54
1900		18	37		55
1950		17	39		56
2000		15	42		57
2100		12	47		59
2200		11	51		62
2300		9	55		64
2400		7	59		66
2500		6	63		69
2600		3	68		71
2700			73		73
2800			73	3	76
2900			73	5	78
3000			73	7	80
3200			73	12	85
3400			73	16	89
3600			73	21	94
3800			73	26	99
4000			73	30	103
4200			73	35	108
4400			73	40	113
4600			73	44	117
4800			73	49	122
5000			73	53	126
5200			73	58	131
5400			73	63	136
5600			73	67	140
5800			73	72	145
6000			73	77	150

三石耐火煉瓦株式会社

〒705-0132 岡山県備前市三石868
 TEL 0869-62-0541 (代) FAX 0869-62-0017 (代)
 開発部TEL 0869-62-0303 開発部FAX 0869-62-0565

URL <http://mtaika.jp/>
 E-mail mtaika@mx31.tiki.ne.jp

円形レンガ積みの内径と横ぜり形および並形レンガの組合せ表

単位 mm					
内径	Y3	Y2	Y1	並形	合計
250	22				22
270	20	3			23
300	19	5			24
325	19	7			26
350	18	9			27
375	17	11			28
400	16	13			29
425	15	15			30
450	14	17			31
475	13	20			33
500	12	22			34
525	11	25			36
550	10	26			36
575	9	28			37
600	8	30			38
625	7	32			39
650	6	35			41
675	5	37			42
700	4	39			43
725	3	41			44
750	2	43			45
775	1	45			46
800		48			48
825		48	1		49
850		47	3		50
875		46	5		51
900		45	7		52
925		44	9		53
950		43	11		54
975		43	13		56
1000		42	15		57
1050		40	19		59
1100		39	22		61
1150		37	27		64
1200		35	31		66
1250		33	35		68
1300		33	38		71
1350		31	42		73

円形レンガ積みの内径と縦ぜり形および並形レンガの組合せ表

単位 mm					
内径	T3	T2	T1	並形	合計
600	49				49
625	44	6			50
650	42	9			51
675	40	12			52
700	37	17			54
725	35	20			55
750	33	23			56
775	31	26			57
800	28	30			58
825	25	34			59
850	23	37			60
875	21	41			62
900	19	44			63
925	16	48			64
950	14	51			65
975	12	54			66
1000	9	58			67
1050	3	67			70
1100		72			72
1150		70	4		74
1200		69	8		77
1250		65	14		79
1300		63	18		81
1350		61	23		84
1400		59	27		86
1450		56	32		88
1500		55	36		91
1550		52	41		93
1600		50	45		95
1650		48	50		98
1700		45	55		100

内径	T3	T2	T1	並形	合計
1750		42	60		102
1800		39	65		104
1850		38	69		107
1900		35	74		109
1950		32	79		111
2000		30	84		114
2100		24	94		118
2200		21	102		123
2300		17	111		128
2400		13	119		132
2500		10	127		137
2600		4	137		141
2700			146		146
2800			146	5	151
2900			146	9	155
3000			146	14	160
3200			146	23	169
3400			146	32	178
3600			146	42	188
3800			146	51	197
4000			146	60	206
4200			146	69	215
4400			146	79	225
4600			146	88	234
4800			146	97	243
5000			146	106	252
5200			146	116	262
5400			146	125	271
5600			146	134	280
5800			146	143	289
6000			146	153	299

三石耐火煉瓦株式会社

〒705-0132 岡山県備前市三石868
 TEL 0869-62-0541 (代) FAX 0869-62-0017 (代)
 開発部TEL 0869-62-0303 開発部FAX 0869-62-0565

URL <http://mtaika.jp/>
 E-mail mtaika@mx31.tiki.ne.jp